


LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:

DATA OF LAMP		PHOTOMETRIC DATA				Eff: 4.64 lm/W
MODEL	NMT2015-NP	I _{max} (cd)	29.72	S/MH(C0/180)	1.28	
NOMINAL POWER(W)	14	LOR(%)	100.0	S/MH(C90/270)	1.24	
RATED VOLTAGE(V)	24	TOTAL FLUX(lm)	80.257	h UP,DN(C0-180)	1.2,50.2	
NOMINAL FLUX(lm)	80.2572	CIE CLASS	DIRECT	h UP,DN(C180-360)	1.1,47.5	
LAMPS INSIDE	1	h up(%)	2.3	CIBSE SHR NOM	1.25	
TEST VOLTAGE(V)	24	h down(%)	97.7	CIBSE SHR MAX	1.35	



C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

g Range: 0 - 180DEG
Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks:

ZONAL FLUX DIAGRAM

ZONAL FLUX DIAGRAM:


g	C0	C45	C90	C135	C180	C225	C270	C315	g	F zone	F total	%lum,lamp
10	29.39	27.55	26.24	25.29	28.98	27.07	26.03	25.46	0- 10	2.602	2.602	3.24,3.24
20	27.97	26.24	24.68	23.81	27.25	25.16	24.32	23.96	10- 20	7.428	10.03	12.5,12.5
30	25.59	23.99	22.35	21.41	24.58	22.52	21.96	21.77	20- 30	11.21	21.23	26.5,26.5
40	22.34	20.97	19.34	18.42	21.07	19.33	18.94	18.95	30- 40	13.48	34.72	43.3,43.3
50	18.44	17.25	15.74	14.96	16.93	15.50	15.36	15.58	40- 50	13.99	48.70	60.7,60.7
60	13.98	13.09	11.77	10.99	12.25	11.16	11.38	11.76	50- 60	12.66	61.37	76.5,76.5
70	9.188	8.635	7.413	6.652	7.275	6.544	7.036	7.535	60- 70	9.715	71.08	88.6,88.6
80	4.391	4.111	3.056	2.550	2.732	2.337	2.810	3.393	70- 80	5.587	76.67	95.5,95.5
90	1.064	0.8322	0.3971	0.4854	0.4940	0.4491	0.2399	0.6825	80- 90	1.765	78.43	97.7,97.7
100	0.3407	0.3535	0.1139	0.2939	0.3273	0.3542	0.1200	0.2672	90-100	0.4070	78.84	98.2,98.2
110	0.3273	0.2740	0.0868	0.2939	0.3273	0.3339	0.1204	0.2672	100-110	0.2720	79.11	98.6,98.6
120	0.3273	0.3005	0.1069	0.2805	0.3273	0.2943	0.1735	0.2672	110-120	0.2557	79.37	98.9,98.9
130	0.3273	0.2805	0.1936	0.2538	0.3273	0.2338	0.2005	0.2138	120-130	0.2288	79.60	99.2,99.2
140	0.3273	0.3006	0.1937	0.2805	0.3273	0.2535	0.2338	0.2137	130-140	0.2000	79.80	99.4,99.4
150	0.3673	0.3141	0.2204	0.3206	0.3674	0.3073	0.2674	0.2137	140-150	0.1774	79.98	99.6,99.6
160	0.4074	0.3407	0.2939	0.3473	0.3874	0.3139	0.3407	0.2137	150-160	0.1458	80.12	99.8,99.8
170	0.4074	0.4074	0.3340	0.3807	0.3874	0.3939	0.4075	0.3006	160-170	0.0981	80.22	100,100
180	0.3941	0.4141	0.4141	0.4208	0.4208	0.4342	0.4342	0.4275	170-180	0.0378	80.26	100,100
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

C Range: 0 - 360DEG
 C Interval: 45.0DEG
 Test Speed: HIGH
 Temperature:25.3DEG
 Operators:JYH
 Test Date:2021-04-15

g Range: 0 - 180DEG
 g Interval: 1.0DEG
 Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
 Humidity:65.0%
 Test Distance:10.950m [K=1.0000]
 Remarks:

LUMINANCE LIMITATION CURVES

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:



LUMINANCE cd/(m2)		
G(DEG)	C0/180	C90/270
85	1838	991
80	1686	1173
75	1733	1332
70	1791	1445
65	1834	1523
60	1864	1569
55	1893	1604
50	1912	1633
45	1928	1660


C Range: 0 - 360DEG
 C Interval: 45.0DEG
 Test Speed: HIGH
 Temperature:25.3DEG
 Operators:JYH
 Test Date:2021-04-15

g Range: 0 - 180DEG
 g Interval: 1.0DEG
 Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
 Humidity:65.0%
 Test Distance:10.950m [K=1.0000]
 Remarks:

CU AND LUMINAIRE BUDGETARY ESTIMATE DIAGRAM

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:

rcc	80%			70%			50%			30%			10%			0
r _w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0
r _{fc}	20%			20%			20%			20%			20%			0
RCR	RCR:Room Cavity Ratio Coefficients of Utilization(CU)															
0.0	1.19	1.19	1.19	1.15	1.15	1.15	1.10	1.10	1.10	1.05	1.05	1.05	.00	.00	.00	.98
1.0	1.03	.99	.95	1.01	.97	.93	.96	.93	.90	.92	.89	.87	.88	.86	.84	.81
2.0	.90	.83	.77	.88	.81	.76	.84	.78	.74	.80	.76	.72	.77	.73	.70	.68
3.0	.79	.70	.64	.77	.69	.63	.74	.67	.62	.71	.65	.60	.68	.63	.59	.57
4.0	.70	.61	.54	.68	.60	.54	.65	.58	.53	.63	.57	.52	.60	.55	.51	.48
5.0	.62	.53	.46	.61	.52	.46	.59	.51	.45	.56	.50	.45	.54	.49	.44	.42
6.0	.56	.47	.41	.55	.46	.40	.53	.45	.40	.51	.44	.39	.49	.43	.39	.37
7.0	.51	.42	.36	.50	.41	.36	.48	.41	.35	.46	.40	.35	.45	.39	.34	.32
8.0	.46	.38	.32	.45	.37	.32	.44	.37	.31	.43	.36	.31	.41	.35	.31	.29
9.0	.42	.34	.29	.42	.34	.28	.40	.33	.28	.39	.33	.28	.38	.32	.28	.26
10.0	.39	.31	.26	.39	.31	.26	.37	.30	.26	.36	.30	.25	.35	.29	.25	.23



C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

g Range: 0 - 180DEG
g Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks:

WEC AND CCEC

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:

rcc	80%			70%			50%			30%			10%			0														
rw	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0														
rfc	20%			20%			20%			20%			20%			0														
RCR	RCR:Room Cavity Ratio															Wall Exitance Coefficients(WEC)														
0.0																														
1.0	.313	.178	.056	.305	.174	.055	.291	.167	.053	.277	.160	.051	.265	.154	.050															
2.0	.293	.161	.049	.286	.158	.049	.273	.152	.047	.261	.147	.046	.250	.142	.045															
3.0	.270	.144	.043	.264	.142	.043	.253	.137	.042	.242	.133	.041	.232	.129	.040															
4.0	.249	.130	.038	.244	.128	.038	.234	.124	.037	.224	.120	.036	.215	.117	.036															
5.0	.230	.117	.034	.225	.116	.034	.216	.113	.033	.208	.110	.033	.200	.107	.032															
6.0	.213	.107	.031	.209	.106	.030	.201	.103	.030	.193	.100	.030	.186	.098	.029															
7.0	.199	.098	.028	.195	.097	.028	.187	.095	.027	.181	.093	.027	.174	.090	.027															
8.0	.185	.091	.025	.182	.090	.025	.175	.088	.025	.169	.086	.025	.163	.084	.024															
9.0	.174	.084	.023	.171	.083	.023	.165	.081	.023	.159	.080	.023	.154	.078	.023															
10.0	.163	.078	.022	.160	.078	.022	.155	.076	.021	.150	.074	.021	.145	.073	.021															

rcc	80%			70%			50%			30%			10%			0
rw	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0
rfc	20%			20%			20%			20%			20%			0
RCR	RCR:Room Cavity Ratio			Ceiling Cavity Exitance Coefficients(CCEC)												
0.0	.208	.208	.208	.178	.178	.178	.121	.121	.121	.070	.070	.070	.022	.022	.022	
1.0	.198	.174	.152	.169	.149	.130	.116	.102	.090	.067	.059	.052	.021	.019	.017	
2.0	.190	.149	.115	.163	.129	.100	.112	.089	.070	.064	.052	.041	.021	.017	.013	
3.0	.182	.132	.092	.156	.114	.080	.107	.079	.056	.062	.046	.033	.020	.015	.011	
4.0	.175	.119	.076	.150	.103	.066	.103	.071	.047	.060	.042	.028	.019	.014	.009	
5.0	.167	.108	.065	.144	.094	.057	.099	.066	.040	.057	.038	.024	.018	.013	.008	
6.0	.160	.100	.057	.138	.087	.050	.095	.061	.035	.055	.036	.021	.018	.012	.007	
7.0	.153	.093	.051	.132	.081	.045	.091	.057	.032	.053	.033	.019	.017	.011	.006	
8.0	.147	.087	.047	.126	.076	.041	.087	.053	.029	.051	.031	.017	.016	.010	.006	
9.0	.141	.082	.043	.121	.072	.038	.084	.050	.027	.049	.030	.016	.016	.010	.005	
10.0	.135	.078	.040	.116	.068	.035	.081	.048	.025	.047	.028	.015	.015	.009	.005	

C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

g Range: 0 - 180DEG
g Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks:

UGR(Unified Glare Rating) Table

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm										
NAME: NMT2015-NP					TYPE:			WEIGHT:		
SPEC.:NMT2015-0Y24CSS050CC0100-NP					DIM.: 1000*20*15mm			SERIAL No.:		
MFR.: COLORS					SUR.:1000*15mm			Shielding Angle:		
ceiling/cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
working plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
x = 2H y = 2H	24.0	25.5	24.3	25.8	26.0	23.4	24.9	23.7	25.1	25.4
3H	25.7	27.1	26.1	27.4	27.7	24.9	26.3	25.2	26.6	26.8
4H	26.5	27.8	26.8	28.1	28.4	25.5	26.8	25.9	27.1	27.4
6H	27.0	28.3	27.4	28.6	28.9	25.9	27.2	26.3	27.5	27.8
8H	27.2	28.4	27.6	28.8	29.1	26.0	27.2	26.4	27.6	27.9
12H	27.4	28.6	27.8	28.9	29.3	26.1	27.3	26.5	27.6	27.9
4H 2H	24.6	25.9	25.0	26.2	26.5	24.1	25.4	24.5	25.7	26.0
3H	26.5	27.7	26.9	28.0	28.3	25.8	27.0	26.2	27.3	27.7
4H	27.4	28.4	27.8	28.8	29.2	26.6	27.6	27.0	28.0	28.4
6H	28.1	29.0	28.5	29.4	29.8	27.1	28.1	27.6	28.4	28.9
8H	28.4	29.2	28.8	29.6	30.1	27.3	28.2	27.7	28.6	29.0
12H	28.6	29.4	29.1	29.8	30.3	27.4	28.2	27.9	28.6	29.1
8H 4H	27.6	28.5	28.1	28.9	29.4	27.0	27.8	27.4	28.2	28.7
6H	28.5	29.3	29.0	29.7	30.2	27.7	28.4	28.2	28.8	29.3
8H	28.9	29.6	29.4	30.0	30.5	28.0	28.6	28.4	29.1	29.6
12H	29.3	29.8	29.8	30.3	30.9	28.1	28.7	28.7	29.2	29.7
12H 4H	27.7	28.4	28.1	28.9	29.3	27.0	27.8	27.5	28.2	28.7
6H	28.6	29.2	29.1	29.7	30.2	27.8	28.4	28.3	28.9	29.4
8H	29.0	29.6	29.6	30.1	30.6	28.1	28.7	28.6	29.2	29.7
Variations with the observer position at spacings:										
S = 1.0H	+ 0.1 / - 0.2					+ 0.2 / - 0.2				
1.5H	+ 0.1 / - 0.3					+ 0.2 / - 0.3				
2.0H	+ 0.1 / - 0.3					+ 0.2 / - 0.4				

CIE Pub.117, 80.26 lm Total Lamp Luminous Flux Correct (8log(F/F0) = -8.8)

C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

g Range: 0 - 180DEG
g Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks:

UTILIZATION FACTORS TABLE

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:


REFLECTANCE										
Ceiling	0.8	0.8	0.8	0.7	0.7	0.7	0.5	0.5	0.5	0
Walls	0.7	0.5	0.3	0.7	0.5	0.3	0.7	0.5	0.3	0
Working plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0
ROOM INDEX	UTILIZATION FACTORS(PERCENT) $k(RI) \times RCR = 5$									
k = 0.60	57	45	38	56	45	38	55	44	38	31
0.80	67	55	48	66	54	47	64	54	47	40
1.00	75	64	56	74	63	56	71	64	55	48
1.25	82	71	64	81	71	64	78	69	63	55
1.50	87	77	70	85	76	69	82	74	68	60
2.00	94	85	79	92	84	78	88	81	76	68
2.50	98	90	84	96	88	83	92	86	81	72
3.00	101	94	89	99	93	87	95	89	85	76
4.00	105	100	95	103	98	93	98	94	90	81
5.00	108	103	99	105	101	97	100	97	94	84
ROOM INDEX	UF(total)									Direct
According to DIN EN 13032-2 2004			Suspended					SHRNOM = 1.25		

C Range: 0 - 360DEG
 C Interval: 45.0DEG
 Test Speed: HIGH
 Temperature:25.3DEG
 Operators:JYH
 Test Date:2021-04-15

g Range: 0 - 180DEG
 g Interval: 1.0DEG
 Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
 Humidity:65.0%
 Test Distance:10.950m [K=1.0000]
 Remarks:

ISOCANDELA DIAGRAM

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:




C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

deg Range: 0 - 180DEG
Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks:

AAI Figure

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:

Flux out:57.81 lm




Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

g Range: 0 - 180DEG
g Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks:

ISOLUX DIAGRAM


Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:



C Range: 0 - 360DEG
 C Interval: 45.0DEG
 Test Speed: HIGH
 Temperature: 25.3DEG
 Operators: JYH
 Test Date: 2021-04-15

Range: 0 - 180DEG
 Interval: 1.0DEG
 Test System: EVERFINE GO-2000A_V1 SYSTEM V2.0.362
 Humidity: 65.0%
 Test Distance: 10.950m [K=1.0000]
 Remarks:

Planar Illuminance Curve



C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature: 25.3DEG
Operators: JYH
Test Date: 2021-04-15

deg Range: 0 - 180DEG
Interval: 1.0DEG
Test System: EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity: 65.0%
Test Distance: 10.950m [K=1.0000]
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

Test:U:24.00V I:0.7209A P:17.30W PF:1.000 Freq:0Hz Lamp Flux:80.2572x1 lm		
NAME: NMT2015-NP	TYPE:	WEIGHT:
SPEC.:NMT2015-0Y24CSS050CC0100-NP	DIM.: 1000*20*15mm	SERIAL No.:
MFR.: COLORS	SUR.:1000*15mm	Shielding Angle:

Table--1

UNIT: cd

C(DEC) g (DEC)	0	45	90	135	180	225	270	315										
0	29.7	27.8	26.6	25.8	29.7	27.8	26.6	25.8										
5	29.7	27.8	26.6	25.6	29.5	27.6	26.5	25.8										
10	29.4	27.6	26.2	25.3	29.0	27.1	26.0	25.5										
15	28.8	27.0	25.6	24.6	28.3	26.3	25.2	24.9										
20	28.0	26.2	24.7	23.8	27.2	25.2	24.3	24.0										
25	26.9	25.2	23.6	22.7	26.0	23.9	23.3	22.9										
30	25.6	24.0	22.4	21.4	24.6	22.5	22.0	21.8										
35	24.1	22.6	20.9	20.0	22.9	21.0	20.5	20.4										
40	22.3	21.0	19.3	18.4	21.1	19.3	18.9	19.0										
45	20.5	19.2	17.6	16.7	19.1	17.5	17.2	17.3										
50	18.4	17.2	15.7	15.0	16.9	15.5	15.4	15.6										
55	16.3	15.0	13.8	13.0	14.6	13.4	13.4	13.7										
60	14.0	13.1	11.8	11.0	12.2	11.2	11.4	11.8										
65	11.6	11.0	9.65	8.82	9.79	8.85	9.24	9.68										
70	9.19	8.64	7.41	6.65	7.27	6.54	7.04	7.54										
75	6.73	6.35	5.17	4.51	4.85	4.30	4.86	5.40										
80	4.39	4.11	3.06	2.55	2.73	2.34	2.81	3.39										
85	2.40	2.10	1.30	1.11	1.22	0.98	1.11	1.70										
90	1.06	0.83	0.40	0.49	0.49	0.45	0.24	0.68										
95	0.46	0.41	0.30	0.32	0.33	0.37	0.19	0.34										
100	0.34	0.35	0.11	0.29	0.33	0.35	0.12	0.27										
105	0.33	0.32	0.07	0.29	0.33	0.35	0.10	0.27										
110	0.33	0.27	0.09	0.29	0.33	0.33	0.12	0.27										
115	0.33	0.30	0.09	0.29	0.33	0.31	0.13	0.27										
120	0.33	0.30	0.11	0.28	0.33	0.29	0.17	0.27										
125	0.33	0.29	0.19	0.24	0.33	0.25	0.18	0.26										
130	0.33	0.28	0.19	0.25	0.33	0.23	0.20	0.21										
135	0.33	0.29	0.19	0.26	0.33	0.23	0.22	0.21										
140	0.33	0.30	0.19	0.28	0.33	0.25	0.23	0.21										
145	0.34	0.31	0.21	0.29	0.36	0.30	0.25	0.21										
150	0.37	0.31	0.22	0.32	0.37	0.31	0.27	0.21										
155	0.40	0.32	0.27	0.34	0.37	0.31	0.31	0.21										
160	0.41	0.34	0.29	0.35	0.39	0.31	0.34	0.21										
165	0.41	0.36	0.31	0.36	0.39	0.31	0.37	0.26										
170	0.41	0.41	0.33	0.38	0.39	0.39	0.41	0.30										
175	0.39	0.41	0.41	0.41	0.39	0.42	0.43	0.33										
180	0.39	0.41	0.41	0.42	0.42	0.43	0.43	0.43										

C Range: 0 - 360DEG
C Interval: 45.0DEG
Test Speed: HIGH
Temperature:25.3DEG
Operators:JYH
Test Date:2021-04-15

g Range: 0 - 180DEG
g Interval: 1.0DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.0.362
Humidity:65.0%
Test Distance:10.950m [K=1.0000]
Remarks: